MOS NAVIGATION LIGHTS MOSNL50U



The MOSNL50U, our most compact navigation light with LED technology. Designed for small, agile boats and ships with excellent visibility at high vertical angles. With its stylish, functional and thoughtful design, the MOSNL50U sets the standard for navigation lights.

The use of LED technology and high-quality components from the automotive industry ensures that it is the most robust and durable in its class. It does not generate interference noise and minimizes expensive maintenance costs with its 60,000 hrs lifetime.

Our navigation light with high-power LED technology, MOSNL50U, sets new standards in navigation lighting. It is the most ideal for cruising with its excellent visibility features in the expected visibility scale in sea cruising. With its epochal design and functionality, the MOSNL50U provides us with high durability and long-lasting use with the use of carefully selected quality components. In this way, keeping the maintenance costs to a minimum, MOSNL50U take aim at be the leader of the navigation light class with its visibility for ships below 50m.



MATERIALS

- Hard, anodised, seawater resistant aluminium body
- UV resistant Quartz glass lens
- Epoxy coated LED driver for maximum protection
- High power LED

TECHNICAL SPECIFICATIONS

Power Supply : 24V

Lifetime : 60.000 Hrs

Visibility : 2 NM - 5 NM

Operation Temp. : -25 to +85 °C

Protection Class : IP67

Approval : MED 🔞

: MED **(**) 0437/23 (







Robust design





Friendly



Thermal management

Maintenance





Marine Otomasyon Sistemleri Ltd. Şti. Evliya Çelebi Mah. Rauf Orbay Cad. Ak İş Merkezi No:41/B Tuzla 34944 - İstanbul T: +90 (216) 447 12 90 / 91 E: info@mos.com.tr www.mos.com.tr

MOSNL50U MODELS



Sector Lights	Visibility	LED Colour	Power	Code	
Port	2 NM	Red	1,4 W	310100	
Starboard	2 NM	Green	0,6 W	310102	
Stern	2 NM	White	1,7 W	310104	
Towing	2 NM	Yellow	1,1 W	310106	
Masthead	5 NM	White	1,8 W	310109	
Masthead	3 NM	White	0,6 W	310108	
All-round Lights	Visibility	LED Colour	Power	Code	
White	2 NM	White	1,5 W	310112	
Red	2 NM	Red	3,2 W	310114	
Green	2 NM	Green	1,5 W	310116	
Yellow	2 NM	Yellow	1,4 W	310120	
Special Lights	Visibility	LED Colour	Power	Code	
D 10	0.1114			0.40400	
Red Suez	2 NM	Red	3,1 W	310103	
Kiel Canal Green	2 NM	Green	0,7 W	310105	

SPA No.	ARE PARTS Part	Code	
1 2 3	Screw Inox M6x16mm Cover Aluminium 75x8mm O-ring Silicon 70mmx62mm	SP500119 SP500110 SP500131	
4	Led PCB Board Double Led PCB Board Single	SP500134 SP500135	3
5	Angular Body SPS Screen Angular Body MST Screen	SP500104 SP500105	4
6	Angular Body ARO Screen Quartz Glass Tube	SP500106 SP500107	(5) (6)
7	Angular Body SPS PCB Angular Body MST PCB	SP500167 SP500168	
8	Angular Body ARO PCB Driver Card	SP500166 SP500138	7
9 10	Aluminum Main Housing R:110mm Screw Inox M6x50mm	SP500122	8
11 12	Cable (2x0,50mm) Cable Gland M10	SP500113 SP500114	0
		Ø	9
			0




Marine Otomasyon Sistemleri Ltd. Şti.
Evliya Çelebi Mah. Rauf Orbay Cad.
Ak İş Merkezi No:41/B Tuzla 34944 - İstanbul
T: +90 (216) 447 12 90 / 91
E: info@mos.com.tr
www.mos.com.tr


MOSNL50U DIMENSION



Width and Length



Screw Pitch







Marine Otomasyon Sistemleri Ltd. Şti. Evliya Çelebi Mah. Rauf Orbay Cad. Ak İş Merkezi No:41/B Tuzla 34944 - İstanbul T: +90 (216) 447 12 90 / 91 E: info@mos.com.tr www.mos.com.tr